

USHAKOV, K.A.

KRSTEN, I.O. [translator]; USHAKOV, K.A., prof., doktor tekhn.nauk,
otvetstvennyy red.; NURMUKHAMEDOVA, V.F., red.izd-va; CHANTSEVA,
G.M., tekhn.red.

[New high efficiency ventilators; a collection of articles.
Translated from the German] Novye ventilatory s vysokim k.p.d.;
sbornik statei. Pod red. K.A.Ushakova. Moskva, Ugletekhizdat,
1957. 35 p. (MIRA 11:5)
(Fans, Electric)

SOV/124-58-11-12452

Translation from: Referativnyy zhurnal, Mekhanika, 1958, Nr 11, p 72 (USSR)

AUTHOR: Ushakov, K. A.

TITLE: Scientific Research Work on Fans of the Main Ventilating System in Coal Mines and the Trends in the Future Development of Such Research (Nauchno-issledovatel'skiye raboty po shakhtnym ventilyatoram glavnogo provetrivaniya i dal'neyshiye puti razvitiya etikh rabot)

PERIODICAL: V sb.: Shakhtn. ventilyatory i ventilyatorn. ustanovki. Moscow. Ugletekhizdat, 1957, pp 26-32

ABSTRACT: The paper presents a brief account of the basic research on mine ventilating fans conducted at the TsAGI (Central Aero-hydrodynamic Institute). A comparison is made between the domestic and foreign-made mine ventilating fans which leads to the conclusion that the aerodynamic characteristics of the domestic ventilators match those of the foreign-manufactured ones. The aerodynamic as well as weight characteristics of the various domestic fans are compared, and it is established that the most suitable type of ventilating fan is the axial-flow fan K-06 in its single-stage and two-stage versions. Fundamental approaches to the development of scientific research

Card 1/2

SOV/124-58-11 12452

Scientific Research Work on Fans of the Main Ventilating System (cont.)

on fans for the main ventilating system for coal mines are described.

V. A. Bashkin

Card 2/2

USHAKOV, Konstantin Andreyevich; BUSHEL', Aleksandr Romanovich; RASKIN,
I.A., otv.red.; KOROVENKOVA, Z.A., tekhn.red.

[Mine ventilator equipment with axial flow ventilators; aerodynamic
characteristics and designs] Shakhtnye ventilatornye ustanovki
s osevyimi ventilatorami; aerodinamicheskie kharakteristiki i
konstruktsii. Moskva, Ugletekhizdat, 1958. (MIRA 12:4)
(Fans, Mechanical) (Mine ventilation--Equipment and supplies)

USHAKOV, K.A.; BUSHNEL', A.R.

Investigating the effect of the number of blades on the
characteristics of axial flow fans. Prom. aerodin. no.10:
36-42 '58. (MIRA 11:8)
(Fans, Mechanical)

USHAKOV, K.A.; BRUSILOVSKIY, I.V.

Investigating annular cascades of rotating runners in axial
flow fans. Prom.aerodin. no.10:43-60 '58. (MIRA 11:8)
(Fans, Mechanical)

SOV/86-58-11-26/37

AUTHOR: Ushakov, K. A., Honored Scientist and Technologist, Professor,
Doctor of Technical Sciences

TITLE: The Center of Thought of Aviation Technology (Tsentr aviatsionnoy
tekhnicheskoy mysli)

PERIODICAL: Vestnik vozdushnogo flota, 1958, Nr 11, pp 75-79 (USSR)

ABSTRACT: This article is dedicated to the 40th Anniversary of the Central
Aero-Hydro-dynamic Institute (TsAGI). The author describes briefly the
foundation of the institute in 1918 and its history during the past 40 years.
Three photos.

Card 1/1

USHAKOV, K. A.
14(1)

PHASE I BOOK EXPLOITATION SOV/2685

Tsentral'nyy aero-gidrodinamicheskii institut

Ventilyatory i vozdukhoprovody (Ventilators and Air Ducts) Moscow, Oborongiz,
1959. 249 p. (Series: Promyshlennaya aerodinamika, sbornik No. 12)
Number of copies printed not given.

Ed. (Title page): K.A. Ushakov, Professor; Ed. (Inside book): A.S. Ginevskiy,
Candidate of Technical Sciences; Ed. of Publishing House: E.A. Shekhtman;
Tech. Ed.: I.M. Zudakin; Managing Ed.: A.S. Zaymovskaya, Engineer.

PURPOSE: This book is intended for engineers, technicians and scientific workers
specializing in the field of industrial aerodynamics and ventilation.

COVERAGE: This collection of 14 articles deals with problems of ventilation
technology. Results of experimental and theoretical investigations of the
aerodynamic characteristics of axial and centrifugal fans are described.
Some designs of new, highly economical centrifugal fans are presented and
the drag coefficients of various ducts and elements of ventilation systems
are given. No personalities are mentioned. References follow most articles.

Card 1/7

Ventilators and Air Ducts

SOV/2685

TABLE OF CONTENTS:

1. Ushakov, K.A. Balancing Devices for Determining Torque of Fans, Air Blowers and Compressors 5
The author analyzes torque and its measuring by the methods of balancing. He concludes that balancing depends on the type of the device, the transmission ratio, disposition of the axis of oscillation. These factors may have a substantial influence on the calculation of torque and must therefore be precisely determined in the rational design of balancing devices.
2. Kolesnikov, A.V. Experimental Investigation of the Flow Structure Behind the Impeller of an Axial Fan in a Relative Motion 19
The author studied the results of an investigation of distribution of losses and the velocities of secondary flow behind the impeller of an axial fan. Experimental values of coefficients of secondary losses are given and compared with empirical formulas.
3. Brusilovskiy, I.V. Calculation of One-stage Axial Fans for Variable Circulation Along the Length of the Blade 26

Card 2/7

Ventilators and Air Ducts

SOV/2685

In this article the solution of a direct reversible problem of a one-stage axial fan is given. The fan consists of inlet guide vanes, rotor blades and outlet guide vanes in a cylindrical flow conduct from inlet to outlet. The efficiency changes with the radius of blade and vane rings. Some new parameters are introduced and it is shown that for a one-stage three-bladed-ring fan three equations may be established. These equations contain six unknown functions: distribution of the circulation along the radius in rings and axial velocities in inter-ring clearances and behind the outlet guiding van ring. In a number of cases for the three given functions, three other functions may be established.

4. Brusilovskiy, I.V. Investigation of the Regulation of a Two-stage Shaft Axial Fan Type **TsAGI**, K-06 by Two Types of Intermediate Vane Apparatus 36
In this article the following results of investigations are described: 1) Regulation of fan by changing the blade incidence of the guiding device most economical for the interval 50-105° of its setting 2) Regulation of fan with a guiding device provided with flaps. This is economical at angles of 50-90°. Of these two methods, regulation by flaps seems to be the more accurate.

5. Lokshin, I.L. Investigation of the Flow Behind a Circular Centrifugal Fan

Card 3/7

Ventilators and Air Ducts

SOV/2685

In Relative Motion

49

Impellers of the following TsAGI fans, were investigated: Ts4-50, Ts7-29, Ts7-42, Ts9-29 and M60. Experiments included the determination of generalized aerodynamic characteristics and the determination of velocities and angles at the outlet of flow in the outlet section in relative motion. Experiments were conducted at 1000r.p.m. at which a perimeter speed of 21-26 m/sec was attained.

6. Kovalenko, V.N. and K.V. Chebyshev. Regulation of Centrifugal Fans With Inlet Guide Vanes

70

The article presents experimental materials on regulating centrifugal fans by means of axial and simplified guide apparatus. On the basis of these materials and data of flow investigations behind upstream guide vanes and centrifugal impellers, a method for calculating the characteristics of fans with axial guide vanes is elaborated.

7. Chebysheva, K.V. Centrifugal Fan Volume Regulation by Changing the Passage Section of the Wheel or of the Body

110

The author describes investigations of fan model Ts4-70 with flat inclined blades developed by TsAGI. This fan has good aerodynamic characteristics and

Card 4/7

Ventilators and Air Ducts

30V/2685

is now mass-produced as a general purpose fan. Comparative results of tests are given.

8. Bychkov, A.G., I.L. Lokshin, and P.O. Mazmanyants. New Types of TsAGI Centrifugal Fans 125

This article describes ten types of new centrifugal fans. These fans were designed by TsAGI in 1956-1957 and have a high efficiency coefficient η -0.76-0.85. It is suggested that some of them might replace ten efficient fans now in production. The article states that 180,000 fans are currently produced in the USSR per year and operation of these fans requires 800,000 kw.

9. Ginevskiy A.S. and Ye.Ye. Solodkin. Aerodynamic Characteristics of the Initial Sector of a Circular Section Duct During Turbulent Flow in the Boundary Layer 155

The authors describe an approximate method for calculating the turbulent boundary layer in the initial sector of an annular duct taking account of the influence of the transversal curvatures of the internal and external convex and concave surfaces of given radiuses on the shape of the velocity profile and on other characteristics of the turbulent boundary layer.

Card 5/7

Ventilators and Air Ducts

SOV/2685

10. Solodkin Ye.Ye. and A.S. Ginevskiy. The Influence of Initial Unsteady Flow
on the Characteristics of Diffuser Ducts 163
Results of a theoretical investigation of the influence of initial un-
steadiness of flow in the inlet section of a plane diffuser with straight walls
on diffuser characteristics show: coefficient of full pressure losses, efficiency
coefficient, maximum degree of diffuser expansion, etc.
11. Khanzhonkov, V.I. Decreasing Aerodynamic Drag With Circular Rib Openings
or Recesses 181
The article explains the principle of the action of circular ribs and recesses
and their optimum geometrical dimensions for which inlet drag is minimum.
12. Nosova, M.M. and N.F. Tarasov. Drag in Inlet and Exhaust Ventilation
Shafts 197
The author gives the results of an experimental investigation of models of inlet
and exhaust shafts of square and rectangular cross section. On the basis of
this investigation, two designs were selected and are now adopted in industry.
A description of these shafts is given.
13. Yudin, Ye.Ya. Experimental Investigation of a Screen-type Silencer 216

Card 6/7

Ventilators and Air Ducts

SOV/2685

The author describes the experimental installation, explains the method of investigation and gives the results obtained. He also gives a method for applying the results obtained to acoustic calculations of units with screen silencers.

14. Khanzhonkov, V.I. Wind Protection for Open-air Sports Arenas

239

The author considers a number of designs and discusses their comparative merits under various wind conditions. Diagrams and photographs of the models investigated and graphs of wind velocities and pressure distribution are given.

AVAILABLE: Library of Congress

IS/jb

Card 7/7

12-29-59

USHAKOV, K.A.

Scientific work of Professor Grigorii Kharlampievich Sabinin;
on the occasion of his 75th birthday. Prom. aerodin. no.13:5-7
'59. (MIRA 13:3)

(Sabinin, Grigorii Kharlampievich, 1884-)

USHAKOV, K.A.

Using balancing devices for determining the torque of fans, air
blowers, and compressors. Prom. aerodin. no.12:5-18 '59.

(MIRA 13:1)

(Air compressors--Testing) (Fans, Mechanical--Testing)

PHASE I BOOK EXPLOITATION

SOV/4820

Ushakov, Konstantin Andreyevich, Professor, Iosif Veniamenovich Brusilovskiy, and
~~Aleksandr Romanovich Bushel~~

Aerodinamika osevykh ventilyatorov i elementy ikh konstruktsiy (Aerodynamics of
Axial-Flow Fans and Elements of Their Structure) Moscow, Gosgortekhnizdat,
1960. 421 p. Errata slip inserted. 2,000 copies printed.

Ed.: Konstantin Andreyevich Ushakov, Professor; Ed. of Publishing House: G.B.
D'yakova; Tech. Eds.: S.Ya. Shklyar, and Z.A. Korovenkova.

PURPOSE: This book is intended for workers of scientific research institutes and
planning and design institutes of the ore-mining industry, and may be used by
the personnel of other organizations concerned with the design and operation of
axial-flow fans.

COVERAGE: The authors describe a modern method of the aerodynamic calculation of
axial-flow fans and critically review the design of mine-ventilating machines.
Their method of profiling bladed rings is said to be a synthesis of the theory
of two-dimensional cascades of airfoils, testing data, and of the generalized
results of various systematic experimental investigations carried out by the

Card 1/8

Aerodynamics of Axial-Flow Fans (Cont.)

SOV/4820

authors at the Tsentral'nyy aero-gidrodinamicheskii institut (Central Aerohydrodynamical Institute). Individual chapters were written as follows: K.A. Usakov, Introduction, Sec. 3 and 6 of Ch. III, Sec. 4 of Ch. VI, and together with A.R. Bushel', Ch. XII (except Sec. 3); I.V. Brusilovskiy, Ch. I (except Sec. 4), Ch. II, Ch. III (except Sec. 2, 3, and 6), Ch. IV, V, VI (except Sec. 4), Sec. 3 and 4 of Ch. VII, Ch. VIII (except Sec. 4 and 5), and Ch. X. (except Sec. 3); A.R. Bushel', Ch. VII (except Sec. 3 and 4), Sec. 4 and 5 of Ch. VIII, Sec. 3 of Ch. X, Sec. 3 of Ch. XII, Ch. XIII and Ch. XIV; A.S. Ginevskiy, Sec. 4 of Ch. I; A.A. Dzidziguri, Ch. IX; I.O. Kersten, Ch. XI; A.V. Kolesnikov, Sec. 2 of Ch. III. No personalities are mentioned. There are 107 references: 87 Soviet, 11 German, and 9 English.

TABLE OF CONTENTS:

Foreword	3
<u>Introduction</u>	5
Card 2/8	

Aerodynamics of Axial-Flow Fans (Cont.)

SOV/4820

PART I. AERODYNAMICS OF AXIAL-FLOW FANS

Ch. I. General Information From the Theory of Fans and Cascades of Airfoils	15
1. Bernoulli and Euler equation	15
2. Geometric parameters of a cascade of airfoils and flow parameters	22
3. Zhukovskiy's theorem	29
4. Aerodynamic characteristics of two-dimensional cascades of airfoils	39
Ch. II. Theory of Axial-Flow Fans	57
1. Rotor	57
2. Full diagram of a one-stage fan NA + K + SA [guiding vanes + rotor + nozzle vanes]	64
3. Multistage axial-flow fans	75
4. Counter-flow fans	81
Ch. III. Influence of Air Viscosity. Efficiency Coefficient. Fan's Characteristics	86
1. Air viscosity. Boundary layer. Reynolds number	86
2. Profile and secondary losses	91
3. Number of blades	105
4. Efficiency coefficient of the cascade and fan	110

Card 3/8

Aerodynamics of Axial-Flow Fans (Cont.)

SOV/4820

5. Aerodynamic characteristic of a fan	114
6. Special features of fan operation in disrupted regimes	119
Ch. IV. Choice of Design Parameters of Axial-Flow Fans	124
1. Plan of aerodynamic calculation of an axial-flow fan	124
2. Influence of the dimensions of the design parameters on the efficiency coefficient of the fan	126
3. Determining optimum aerodynamic parameters and maximum efficiency coefficient of various types of one-stage fans	128
4. Choice of parameters differing from the optimum	132
5. Determination and choice of design parameters for multistage fans of the usual type and for counter-flow fans	136
6. Examples of the choice of design parameters according to the given pressure and performance	139
Ch. V. Profiling Blade Rims	144
1. Relative diameter of bushings	145
2. Density of the cascade and the angle of incidence of various stages	150
3. Correction for air viscosity. Use of data of the potential flow over two-dimensional cascades for the determination of the angle of setting and the curvature of the airfoil	155

Card 4/8

Aerodynamics of Axial-Flow Fans (Cont.)

SOV/4820

4. Example of the profiling of cascades of blades	159
Ch. VI. Axial-Flow Fans With Variable Circulation Along the Blade and With the Diminished Diffuser Action of Interblade Channels	170
1. Equation of motion for a fan, taking into account the distribution of the efficiency coefficient along the blade	171
2. Fans with a variable circulation along the blade	174
3. Fans with a meridional acceleration of the flow	181
4. Blades with blunted back rims	187
Ch. VII. Fan Installations and Their Aerodynamic Calculation	193
1. Connection of the fan with the network	193
2. Pressure losses in the components of fan installations	193
3. Choice of fan parameters, taking into account losses in the installation	211
4. Determination of parameters according to given values of pressure and performance. Example of the choice of parameters, taking into account losses in the installation	218

Card 5/8

Aerodynamics of Axial-Flow Fans (Cont.)

SOV/4820

- | | |
|---|-----|
| 3. Measuring rpm | 306 |
| 4. Measuring the power required by fans | 308 |
| 5. Types of installations for the aerodynamic testing of fans | 316 |

PART II. STRUCTURAL ELEMENTS OF MINE FAN INSTALLATIONS

- | | |
|---|-----|
| Ch. XII. Structural Elements of a Fan | 329 |
| 1. Blades | 330 |
| 2. Bushings and joints of variable-pitch blades of the rotor and of the guiding vanes | 343 |
| 3. Intake nozzle, hub, housing, frame, and support elements of a fan | 351 |
| 4. Special features of multistage fan construction from unified elements | 355 |
| Ch. XIII. Structural Elements of a Mine Fan Installation | 356 |
| 1. Installation elements in front of the fan | 358 |
| 2. Installation elements behind the fan | 361 |
| 3. Devices for reversing the air flow | 363 |
| 4. Driving elements of a mine fan | 370 |

Card 7/8

USHAROV, K A

26

PHASE I BOOK EXPLOITATION

SOV/5473

Gornoye delo; entsiklopedicheskiy spravochnik. t. 8: Statsionarnoye elektromekhanicheskoye oborudovaniye. Elektrosnabzheniye shakht (Mining Industry; an Encyclopedic Handbook. v. 8: Stationary Electro-mechanical Equipment. Electric Power Supply to Mines) Moscow, Gosgortekhlizdat, 1960. 784 p. Errata slip inserted. 18,500 copies printed.

Chief Ed.: A. M. Terpigorev (Deceased); Members of the Editorial Board: A. I. Baranov, F. A. Barabanov (Deceased), A. A. Boyko, V. K. Buchnev, A. N. Zaytsev; Deputy Chief Eds.: I. K. Kit and N. V. Mel'nikov; I. N. Plaksin, N. M. Pokrovskiy, A. A. Skochinskiy (Deceased), A. O. Spivakovskiy, I. K. Stanchenko, A. P. Sudoplatov, A. V. Topchiyev, S. V. Troyanskiy, A. K. Kharchenko, L. D. Shevyakov and M. A. Shchedrin; Editorial Board for this volume: Resp. Ed.: F. A. Barabanov; Deputy Resp. Ed.: Z. M. Melamed; N. A. Arzamasov, G. M. Yelanchik, V. K. Yefremov, B. I. Zasadych, I. M. Zhumakhov, N. A. Letov, P. P. Nesterov, I. A. Rabinovich, K. I. Skorkin, and V. A. Sumchenko; Authors: G. A.

Card 1/16

Mining Industry (Cont.)

SOV/5473

26
Babak, Candidate of Technical Sciences, V. D. Belyy, Professor,
Doctor of Technical Sciences, K. S. Borisenko, Candidate of Technical
Sciences, A. G. Borumenskiy, Candidate of Technical Sciences, I. V.
Brusilovskiy, Candidate of Technical Sciences, A. R. Bushel', Candi-
date of Technical Sciences, V. P. Bukhgol'ts, Engineer, M. N. Vasilevskiy,
Candidate of Technical Sciences, A. N. Vas'kovskiy, Engineer, B. N.
Vlasenko, Engineer, I. Ya. Gershikov, Engineer, V. G. Geyer, Professor,
Doctor of Technical Sciences, A. D. Dimashko, Engineer, V. S. Dulin,
Candidate of Technical Sciences, I. L. Lokshin, Engineer, B. M. Melamed,
Engineer, Yu. A. Mikheyev, Engineer, V. P. Morozov, Engineer, M. I.
Mushkatin, Engineer, V. S. Pak, Academician, I. M. Perskaya, Engineer,
N. M. Rusanov, Candidate of Technical Sciences, G. P. Savel'yev, Candi-
date of Technical Sciences, Ya. M. Smorodinskiy, Candidate of Technical
Sciences, K. A. Ushakov, Honored Scientist and Technologist, Professor,
Doctor of Technical Sciences, B. M. Furmanov, Engineer, and N. N. Cher-
navkin, Engineer. Eds.: Ya. M. Drozdov, Engineer, B. I. Zasadych,

Card 2/18

26

Mining Industry (Cont.)

SOV/5473

Candidate of Technical Sciences, N. S. Karpyshev, Candidate of Technical Sciences, N. A. Letov, Candidate of Technical Sciences, Z. M. Melamed, Candidate of Technical Sciences, Yu. A. Mikheyev, Engineer, V. P. Morozov, Engineer, V. I. Polikovskiy, Professor, Doctor of Technical Sciences, I. A. Rabinovich, Engineer, M. S. Rabinovich, Candidate of Technical Sciences, I. A. Raskin, Engineer, V. S. Tulin, Engineer, S. Ye. Unigovskiy, Engineer, K. A. Ushakov, Honored Scientist and Technologist, Professor, Doctor of Technical Sciences, M. M. Shemakhanov, Candidate of Technical Sciences, P. F. Shishkov, Candidate of Technical Sciences, and V. B. Yablonovskiy, Engineer; Eds. of Publishing House: N. A. Arzamasov and T. I. Rybal'nik; Tech. Ed.: V. L. Prozorovskaya and M. A. Kondrat'yeva.

PURPOSE: This handbook is intended for mining and mechanical engineers as well as for other skilled personnel of the mining industry concerned with the handling and operation of various installations and equipment used in mines.

Card 3/16

26
SOV/5473

Mining Industry (Cont.)

COVERAGE: Volume VIII of the mining handbook contains detailed information on mine hoisting installations, machines and equipment, mine ventilation units, duct systems, dewatering facilities, various types of pumps, pump meters, pumping stations, and the automatic remote control of these units. The handbook also describes and explains the operation of the air compression units and compressors. Heat-generating and heat-supply equipment of mines is described, as are the electric power supply systems and other electrical equipment such as transformers, power distribution systems, and grounding devices. Telephone communication and signaling systems used in mines are also treated. No personalities are mentioned. Each part of the handbook is accompanied by references, mostly Soviet.

TABLE OF CONTENTS [Abridged]:

PART I. MINE HOISTING UNITS

Card 4/18

Mining Industry (Cont.)

SOV/5473

te 2

PART II. MINE FAN INSTALLATIONS

Introduction (Ushakov, K. A., Professor, Doctor of Technical Sciences) 178

Ch. I. Fundamentals of the Fan Theory (Brusilovskiy, I. V., Candidate of Technical Sciences, and I. L. Lokshin, Engineer) 178

Ch. II. Aerodynamic Calculation of Fans (Brusilovskiy, I. V., and I. L. Lokshin) 193

Ch. III. Mine Fan Installations and Ventilation Systems (Bushel', A. R., and V. S. Dulin, Candidates of Technical Sciences) 205

Ch. IV. Design of Mine Fans (Dulin, V. S., and G. A. Babak, Candidate of Technical Sciences) 219

Card 7/18

USHAKOV, K.A.

Method for obtaining dimensionless characteristics of fans
immediately. Prom.aerodin. no.17:66-80 '60. (MIRA 14:3)
(Fans, Mechanical--Testing)

USHAKOV, K.A.

Power consumption by the fan of a heating system depending on
its position in relation to the air heater. Vod. 1. san.
tekh. no.7:37-38 J1 '61. (MIRA 14:7)
(Hot-air heating)

USHAKOV, K.A.; BUSHEL', A.R.

Eliminating the instability of the performance of axial-flow fans
by means of separators. Prom.aerodin. no.24:9-34 '62. (MIRA 16:7)
(Fans, Mechanical)

USHAKOV, K.A.; KOLESNIKOV, A.V.

Investigating pressure losses in diffuser interblade channels
of axial-flow fans. Prom. aerodin, no.25:52-95 '63.

(MIRA 16:7)

(Fans, Mechanical)

VSHAKOV, P.P.

Cd

Processes and Properties Index

Reducing copper losses in slags by means of filtration with pyritic concentrates in "hearth filters." P. N. Beryagin and K. I. Vshakov. *Tsvetnye Metal.* 1940, 1, s. 82-9.—At the Kirovgrad Copper Works the discharged slags contain 0.30 to 0.40% Cu. The "filter" process consists in sprinkling pyrite over the slag surface with or without addition of lime or limestone. The pyrite dissociates to form FeS plus S. The FeS penetrates the slag and carries down the beads of mat and of Cu in other forms into the mat. This process can be used in the forehearth or in reverberatory furnace, or in a specially constructed "filter" hearth which is deep and narrow. The temp. of the hearth must be maintained at 1200° or above. Lab. tests and tests in the smelter showed that the Cu content of water jacket slag can be reduced from 0.30 to 0.10% to 0.20 by using pyrite in the amount of 1.0-1.5% of the wt. of slag. This saving of about 40% Cu in the slag is due mainly to the recovery of beads of Cu sulfide. Dissolved or oxidized Cu is not recovered unless greater amounts of pyrite and addnl. fuel to maintain the temp. are used; this is un-economical.
U. S. Daniloff

ASB.SLA METALLURGICAL LITERATURE CLASSIFICATION

USHAKOV, K.I.

GRANOVSKIY, B.L.; DIYEV, N.P.; ZUBAREV, V.I.; KARCHEVSKIY, V.A.; KLUSHIN, D.N.;
MAKOVSKIY, G.M.; MIRONOV, A.A.; OL'KHOV, N.P.; PARFANOVICH, B.V.;
USHAKOV, K.I.; SHAKHNAZAROV, A.K.

Electric smelting for matte in copper metallurgy; a reply to
L.M.Gazarian. TSvet.met. 28 no.1:33-41 Ja-F '55. (MIRA 10:10)
(Copper--Electrometallurgy) (Gazarian, L.M.)

K.I.
BAKAKIN, V.P.; BUBOK, K.G.; BUGAREV, L.A.; BUNIN, A.I.; VOROB'YEV, K.V.
DROZDOV, V.V.; DOROKHOV, M.S.; ZUBRILOV, S.V.; IGNAT'YEV, L.A.
KARGOPOLOV, I.G.; KLUUSHIN, D.N.; KOMAROV, A.M.; KURILOV, M.S.;
LOMAKO, P.F.; MIKULENKO, A.S.; MIKHAYLOV, M.M.; NEMTINOV, B.A.;
OL'KHOV, N.P.; OSIPOVA, T.V.; PAKHOMOV, Ya.D.; PLAKSIN, I.N.;
PODCHAYNOV, S.F.; PUSTYL'NIK, I.I.; ROZHKOV, I.S.; SAVARI, Ye.A.;
SHMYNIN, A.P.; SPIVAKOV, Ya.N.; STRIGIN, I.A.; SUSHENTSOV, S.N.;
SYCHEV, P.S.; TROITSKIY, A.V.; USHAKOV, K.I.; KHARLAMOV, A.Ye.;
SHMYAKIN, N.I.

Nikolai Konstantinovich Chaplygin. TSvet. met. 28 no.2:57-58
Mr-Ap '55. (MIRA 10:10)
(Chaplygin, Nikolai Konstantinovich, 1911-1955)

USHAKOV, K.I.; BLINOVA, L.A.; VOLYNSKAYA, M.A.

Briquetting finely divided particles of copper ores and concentrates. TSvet. met. 35 no.4:12-21 Ap '62. (MIRA 15:4)
(Copper ores) (Briquets)

USHAKOV, K.I.; VOLYNSKAYA, M.A.; BLINOVA, L.A.

Pelletizing oxidized nickel ores. TSvet. met. 36 no.10:21-
25 0 '63. (MIRA 16:12)

USHAKOV, K.I.; BLINOVA, L.A.; VOLYNSKAYA, M.A., FEL'MAN, R.I.

Briquetting fine copper ores and concentrates. Sbor. nauch.
trud. Gintsvetmeta no.23:74-86 '65. (MIRA 18:12)

YALOVITSKY, M.V.; USHAKOV, K.P.

Preparation of hyperimmune serums for the diagnosis of some
insect bacterioses. Trudy Inst. mikrobiol. i virus. AM
Kazakh. SSR 7 :235-242 '63 (MIRA 16:12)

KUSOV, V.N.; USHAKOV, K.P.

Feeding of Ornithodoros ticks on sleeping animals. Izv.
AN Kazakh. SSR. Ser. biol. nauk 3 no.6:53-57 N-D '65.
(MIRA 18:12)

USHAKOV, K.V.

Fish Culture

Fertilizing spawning ponds. Ryb. khoz. 23, no. 4, 1952.

9. Monthly List of Russian Accessions, Library of Congress, _____ AUGUST 1952 1953. Unclassified.

USHAKOV, K. Z.

USHAKOV, K. Z.: "Air losses under the condition of gaseous coal mines in the Donbass and the coefficients for calculating air reserves (inclined and vertical deposits)". Moscow, 1955. Min Higher Education USSR. Moscow Mining Inst imeni I. V. Stalin.

SO: Knizhnaya Letopis' No. 47, 19 November 1955. Moscow.

KONOGRAT, Valentin Polikarpovich; USHAKOV, K.Z., redaktor; ONMEDIN, V.Ye.,
redaktor; NADNINSKAYA, A.A., ~~tekhnicheskii~~ redaktor

[How a mine is ventilated] Kak provetrivaetsia shakhta. Moskva,
Ugletekhizdat, 1955. 56 p. (MIRA 9:3)
(Mine ventilation)

1154 21/10/57 15-57-7-10275
Translation from: Referativnyy zhurnal, Geologiya, 1957, Nr 7,
p 240 (USSR)

AUTHOR: Ushakov, K. Z.

TITLE: Air Passage Through Mined Out Spaces in the Stalino-
Makeyevka District of the Donbas (Kharakteristika .
utechek vozdukha cherez vyrabotannyye prostranstva na
shakhtakh Stalino-Makeyevskogo rayona Donbassa)

PERIODICAL: Nauch. tr. po vopr. gorn. dela, Mosk. gorn. in-t,
1955, sb. Nr 16, pp 67-87

ABSTRACT: The article represents part of a study of methods
used in establishing coefficients of air supply for
slightly inclined gas producing mines in the Stalino-
Makeyevka district of the Donbas. The study was
conducted, with participation of the author, by the
Mine Ventilation Section of the Moscow Mining Insti-
tute in 1954-1955. Observations of air passage were

Card 1/2

Air Passage Through Mined Out Spaces (Cont.)

15-57-7-10275

made on the following four mines of the district: No. 17-17 bis, No. 29, the imeni L. M. Kaganovich mine, and the No. 17 "Yevdokiye" mine. A system of total removal had been used on these mines, and the roof was supported by partial packing of the mined out area. The width of the mined zones was 6 m to 7 m; the width of the drifts was 3 m; the coefficient of packing of the mined-out area was 0.7 m. The length of the galleries averaged 150 m to 160 m. Most of the air leakage was found to occur in the first 150 m to 160 m of the galleries and amounts to 9 to 27 percent of the air supplied to the sector. The properties of the host rock, and especially the roof rock, greatly affect the passage of air, which increases with an increase in the strength of the rock of the immediate roof covering, decreases with a decrease in strength of this rock. All passage of air in a mined area of the highly gaseous mines of the Stalino-Makeyevka area is beneficial, since this air, after passing through a mined area in a ventilating drift, usually contains more than 1 percent methane. The specific air pressure resistance of a mined area decreases with an increase in strength of the roof rock.

Card 2/2

G. A. Teplitskiy

А. А. Углев, редактор издательства; редактор, редактор,
редактор

[Ventilation of mines in the Kuznetek Basin] Provetriivanie shakht
Kuzbassa. Moskva, Ugletekhizdat, 1957. 173 p. (MLRA 10:9)
(Kuznetek Basin--Mine ventilation)

KSENOFONTOVA, A.I., dotsent; USHAKOV, K.Z., kand.tekhn.nauk

Method of establishing the coefficient of air supply for gassy
mines in the Donets Basin. Nauch. dokl. vys. shkoly; gor. dele
no.1:127-137 '58. (MIRA 11:6)

1. Predstavlena kafedroy rudnichnoy ventilyatsii i tekhniki
bezopasnosti Moskovskogo gornogo instituta im. V.I. Stalina.
(Donets Basin--Mine ventiaition) (Mine gases)

KSENOFONTOVA, A.I., dotsent, kand.tekhn.nauk; BURCHAKOV, A.S., kand.
tekhn.nauk; OREKHOV, V.S., gornyy inzh.; USHAKOV, K.Z.

[Ventilation of greatly extended development workings in
Karaganda Coal Basin gas-discharging mines] Provetrivanie pod-
gotovitel'nykh vyrabotok bol'shoi protiazhennosti v gazovykh
shakhtakh Karagadinskogo ugol'nogo basseina. Moskva, M-vo
vysshego obrazovaniia SSSR. Mosk.gornyi in-t im. I.V.Stalina,
1959. 14 p. (MIRA 13:8)

1. Zaveduyushchiy kafedroy rudnichnoy ventilyatsii i tekhniki
bezopasnosti Moskovskogo gornogo instituta imeni I.V.Stalina
(for Ksenofontova).

(Karaganda Basin--Mine ventilation)

USHAKOV, K.Z., dotsent, kand. tekhn. nauk

Cases of ventilation loss in parallel workings. Nauch. dokl. vrs.
shkoly; gor. delo no.1:87-92 '59. (MIRA 12:5)

1. Predstavlena kafedroy rudnichnoy ventilyatsii i tekhniki bezopasnosti
Moskovskogo gornogo instituta im. I.V. Stalina.
(Mine ventilation)

BURCHAKOV, A.S., kand. tekhn. nauk; USHAKOV, K.Z., kand. tekhn. nauk

Gas release in stopes in mining "Verkhniaia Marianna" coal seam.

Ugol' 34 no.11:42-44 H '59

(MIRA 13:3)

(Donets Basin--Mine gases) (Donets Basin--Mine ventilation)

ALIDZAYEV, Yevgeniy Dmitriyevich; USHAKOV, K.Z., otv.red.; SHKLYAR, S.Ya.,
tekhn.red.; IL'INSKAYA, G.M., tekhn.red.

[Degasification of coal beds] Degazatsiia ugol'nykh plastov.
Moskva, Gos.nauchno-tekhn.izd-vo lit-ry po gornomu delu, 1960. 44 p.
(Mine gases) (MIRA 14:6)

PEREPELITSA, Vladimir Konstantinovich; SKLYARENKO, Ivan Petrovich;
USHAKOV, K.Z., otv.red.; OKHRIMENKO, V.A., red.izd-va;
IL'INSKAYA, G.M., tekhn.red.

[Control of mine air composition by means of portable devices]
Kontrol' sostava rudnichnoi atmosfery perenosnymi priborami.
Moskva, Gos.nauchno-tekhn.izd-vo lit-ry po gornomu delu, 1960.
49 p. (MIRA 13:5)
(Mine ventilation) (Gas detectors)
(Dust collectors)

KEFER, Vladimir Nikolayevich. Prinimal uchastiye POHIZKO, T.A., inzh..
ABRAMOV, P.A., prof., doktor tekhn.nauk, retsenzent; DUGANOV,
G.V., dotsent, kand.tekhn.nauk, retsenzent; USHAKOV, K.Z.,
otv.red.; OKHRIMENKO, V.A., red.izd-va; IL'INSKAYA, G.M.,
tekhn.red.

[Mine air cooling systems] Shakhtnye vozdukhookhladitel'nye
ustanovki. Moskva, Gos.nauchno-tekhn.izd-vo lit-ry po gornomu
delu, 1960. 67 p.
(MIRA 13:6)

1. Zaveduyushchiy kafedroy Rudnichnoy ventilyatsii i tekhniki
bezopasnosti Dnepropetrovskogo gornogo instituta (for Abramov).
2. Kafedra Rudnichnoy ventilyatsii i tekhniki bezopasnosti Dnepro-
petrovskogo gornogo instituta (for Duganov).
(Coal mines and mining--Air conditioning)

BODYAGIN, Mikhail Nikolayevich, kand.tekhn.nauk; MILETICH, A.F., dotsent, kand.tekhn.nauk, retsentsent; DUGANOV, G.V., kand.tekhn.nauk, dotsent, retsentsent; KSENOFONTOVA, A.I., prof., retsentsent; KHAREV, A.A., dotsent, retsentsent; USHAKOV, K.Z., kand.tekhn.nauk, otv.red.; OKHRIMENKO, V.A., red.isd-va; LOMILINA, L.N., tekhn.red.; BEREZSLAVSKAYA, L.Sh., tekhn.red.

[Mine ventilation] Rudnichnaya ventilatsiya. Moskva, Gos. nauchno-tekhn.isd-vo lit-ry po gornomu delu. 1960. 398 p.

(MIRA 13:5)

1. Kafedra rudnichnoy ventilyatsii Dnepropetrovskogo gornogo instituta (for Duganov, Miletich). 2. Kafedra rudnichnoy ventilyatsii Moskovskogo gornogo instituta (for Ksenofontova, Kharev).

(Mine ventilation)

BYKOV, L.N., doktor tekhn. nauk, prof.; KSENOFONTOVA, A.I., prof.;
KLIMANOV, A.D., kand. tekhn. nauk; KRICHEVSKIY, R.M., kand.
tekhn. nauk; PLEOBRAZHENSKAYA, Ye.I., inzh.; RASKIN, I.A.,
kand. tekhn. nauk; USHAKOV, K.Z., kand. tekhn. nauk; KHAREV,
A.A., kand. tekhn. nauk; KHEYFITS, S.Ya., kand. tekhn. nauk;
ZAKHAROV, M.I., red. izd-va; GIL'MAN, S.E., red. izd-va;
MAKSIMOVA, V.V., tekhn. red.; SHKLYAR, S.Ya., tekhn. red.

[Handbook on mine ventilation] Spravochnik po rudnichnoi ventilia-
tsii. Pod red. A.I. Ksenofontovoi. Moskva, Gosgortekhzdat,
1962. 691 p. (MIRA 15:6)

(Mine ventilation--Handbooks, manuals, etc.)

USHAKOV, A. A. doter

Effect of the motion of the pulp on the air flow in a pipe
working. Izv. vyz. usheb. zav.; gor. shch. 8 no. 1987-81 '65.
(MIRA 18:9)

1. Moskovskiy institut radioelektroniki i gornoy elektromekhaniki.
Rekomendovana kafedroy rudnichnoy i promyshlennoy aerologii
i tekhniki bezopasnosti.

USHAKOV, L.

USHAKOV, L., inzhener-kapitan tyagi

Wheel lathes. Zhel.dor.transp. no.10:87-88 0'47. (MIRA 8:12)
(Wheels) (Lathes)

USHAKOV, L.D.

Make every effort to utilize all hidden potentials. Avtom.,
telem. i sviaz' 7 no. 3:42 Mr '63. (MIRA 16:2)

1. Zaveduyushchiy marshrutno-releynoy tsentralizatsiyey
stantsii Yaroslavl'-Glavnyy, Severnoy dorogi.
(Railroads--Employees)
(Railroads--Signaling--Interlocking systems)

VAVILOV, L.; USHAKOV, L.; DERKACH, A.; AKOL'ZIN, L.; YUTSOV, L., agronom;
YEV MENENKO, L.

Successes of chemicalization. Zashch. rast. ot vred. i bol. 10
no.1:4-8 '65. (MIRA 18:3)

1. Nachal'nik Primorskoy stantsii zashchity rasteniy, Vladivostok
(for Vavilov).
2. Nachal'nik Brestskoy stantsii zashchity rasteniy
(for Ushakov).
3. Glavnyy agronom Brestskoy stantsii zashchity
rasteniy (for Derkach).
4. Nachal'nik Pskovskoy stantsii zashchity
rasteniy (for Akol'zin).
5. Mogilevskiy otryad po zashchite rasteniy
(for Yutsov).
6. Nachal'nik Gomel'skoy stantsii zashchity rasteniy
(for Yevmenenko).

ACC NR: AP6030781 (A) SOURCE CODE: UR/0363/66/002/009/1712/1715

AUTHOR: Zorina, M. L.; Setkina, O. N.; Ushakov, L. F.

ORG: Leningrad Technological Institute im. Lomonosov (Leningradskiy tekhnologicheskii institut)

TITLE: Infrared spectroscopic study of the course of crystallization in vitreous-crystalline enamels

SOURCE: AN SSSR. Izvestiya. Neorganicheskiye materialy, v. 2, no. 9, 1966, 1712-1715

TOPIC TAGS: catalyzed crystallization, silicate glass, lithium glass, IR SPECTROSCOPY

ABSTRACT: The course of directed crystallization of an acid-resistant vitreous-crystalline enamel and coating obtained from this enamel was studied by analyzing IR absorption spectra of the multicomponent system $\text{Li}_2\text{O}-\text{MgO}-\text{Al}_2\text{O}_3-\text{SiO}_2$. The spectra showed that the main crystalline phase in enamel whose crystallization occurred at 700° in the presence of TiO_2 is β -eucryptite, β -spodumene or their solid solutions and the solid solution β -eucryptite-quartz. In addition, a certain amount of forsterite and rutile also crystallizes. The study of IR spectra made it possible to draw certain conclusion with regard to the phase composition as compared to x-ray structural analysis. However, even though the necessary data were obtained on the crystallization of the enamel, the IR spectra could not be fully interpreted because of their complexity. It is possible that some intermediate compounds responsible for the appearance of the

Card 1/2 UDC: 666.29:542.65

ACC NR: AP6030781

unidentified bands are formed during the crystallization. Authors thank O. M. Rinskaya-Korsakova and V. V. Gordiyenko for providing the samples of the mineral studied. Orig. art. has 5 figures.

SUB CODE: 11/ SUBM DATE: 19Dec65/ ORIG REF: 007/ OTH REF: 002

Card 2/2

USHAKOV, L. I.

The rapid determination of extractives in pulp. I. I. Lapkin and L. I. Ushakov (A. M. Gor'ki State Univ., Mskov). ~~Zh. Prikl. Khim.~~ 29, No. 4, 10-11 (1954).—The extractives (I) in pulp are detd. by means of the acid no. The pulp, approx. 2 g. in 5×8-mm. squares, was refluxed 1 hr. with 30 cc. 85% EtOH and Et₂O, the solvent filtered, and the extd. pulp washed with 35-40 cc. solvent mixt., and filtrate and washings were titrated with 0.1N NaOH in the presence of phenolphthalein. The percentage Et₂O-EtOH in a pulp is given by $(a - b) \times 0.001 \times (100 - a) / 0.08178$, where a = cc. 0.1N NaOH used in the titration, b = cc.

0.1N NaOH used in a blank titration on the solvent mixt., 0.8178 is the acid no. of the resin, c is the wt. of sample in g., and a is the % H₂O of the pulp sample. The av. % I in 30 samples of sulfite pulp by the acid-no. method was 1.236, and the av. % I extd. by $\text{CHCl}_3\text{CH}_3\text{OH}$ and weighing the residue after evapn. of the solvent was 1.265. The detn. required 2 hrs. John Lake Keays

①

USHAKOV, L.I.

Rumania /Chemical Technology. Chemical Products
and Their Application

I-27

Wood chemistry products. Cellulose and
its manufacture. Paper.

Abs Jour: Referat Zhur - Khimiya, No 9, 1957, 32697

Author : Lapkin I.I., Ushakov L.I.

Title : Rapid Method for Determination of Resin in
Cellulose

Orig Pub: Ind. lemn. celul. si hirt., 1954, No 9, 349-
350

Abstract: A translation. See RZhKhim, 1955, 22622.

Card 1/1

USHAKOV, M.

Horse-radish

Horse radish as a soil binder in a landslide area. les i step' No. 4, 1952.

9. Monthly List of Russian Accessions, Library of Congress, ~~August~~ 1952, Uncl.

USHAKOV, M.

Soil Binding

Horse radish as a soil binder in a landslide area. Les i step' No. 4 (1952)

9. Monthly List of Russian Accessions, Library of Congress, August 1952, Uncl.

USHAKOV, M., polkovnik, kand.istoricheskikh nauk

High and noble tasks of the Soviet people. ~~Komm.~~Vooruzh.Sil
2 no.1:18-25 Ja '62. (MIRA 14:12)

(Russia--Armed forces)

USHAKOV, M.

In a technical study room. NTO 3 no.6:16-17, 44, 45, 46, 47, 49, 50,
51 Je '61. (MIRA 14:6)

(Technical education)

USHAKOV, M.

How friendship is born. NTO 3 no.11:43-44 N '61.

(MIRA 14:10)

1. Chlen soveta Nauchno-tekhnicheskogo obshchestva avtozavoda
imeni Likhacheva, Moskva.

(Moscow--Automobile industry)

USHAKOV, M.; STEPANENKO, Yu.

The best milling-machine operator at the Likhachev Automobile Plant.
Mashinostroitel' no.2:5-6 F '63. (MIRA 16:3)
(Moscow—Milling machines—Technological innovations)

USHAKOV, M.

Likhachev Automobile Plant. Mashinostroitel' no.3:41 Mr '63.
(MIRA 16:4)

(Moscow—Automobile industry)

USHAKOV, M.A.

[Studying the laws of an electric current in the 10th class of the secondary school] K izucheniiu zakonov elektricheskogo toka v X klasse srednei shkoly. Moskva, Gos. uchebno-pedagog. izd-vo Ministerstva prosveshcheniia RSFSR, 1953. 43 p. [Microfilm]
(Electricity--Study and teaching) (MLRA 7:10)

USHAKOV, Mikhail Alekseyevich; BASOV, Yu.V., redaktor; PETROVA, M.D.,
tekhnicheskiy redaktor.

[Studying three-phase current in school] Issuchenie trekhfaznogo
toka v shkole. Moskva, Gos. uchebno-pedagog. izd-vo Ministerstva
prosveshchenia BSPSR, 1955. 68 p. (MLRA 9:5)
(Electric currents)

VAL'DMAN, Edgar Karlovich; USHAKOV, M.A., redaktor; USHOMINSKAYA, M.M.,
redaktor; SOKOLOVA, R.Ya., tekhnicheskii redaktor.

[100 entertaining problems for the young radio amateur] Sto
zanimatel'nykh zadach iunogo radioliubitelia. Moskva, Gos.izd-vo
lit-ry po voprosam svyazi i radio, 1955. 122 p. [Microfilm]
(Radio-- Juvenile literature) (MLRA 9:1)

IL'YASHENKO, Sergey Mikhaylovich; USHAKOV, Mikhail Aleksandrovich, redaktor;
BOGACHEV, F.V., redaktor; OSTRIROV, N.S., tekhnicheskiiy redaktor.

[Physics] Fizika. Moskva, Vsesoiuznoe uchebno-pedagog.izd-vo trud-
rezervizdat, 1955. 283 p. (MLRA 8:11)
(Physics)

KLEMENT'YEV, Sergey Dmitriyevich; USHAKOV, M.A., tekhnicheskii redaktor;
SAKHAROVA, N.V., tekhnicheskii redaktor; MYBIN, I.V., tekhnicheskii
redaktor.

[Teleautomatics] Teleavtomatika. Moskva, Gos. uchebno-pedagog.
izd-vo Ministerstva prosveshcheniia RSFSR. Vol.1.[Homemade auto-
matic photoelectric apparatus] Samodel'naya avtomaticheskaya foto-
elektronnaya apparatura. 1955. 286 p. [Microfilm] (MLRA 8:9)
(Electric apparatus and appliances)
(Photoelectricity)

USHAKOV, M. E.

PERYSHKIN, Aleksandr Vasil'yevich; TRET'YAKOV, Nikolay Petrovich;
USHAKOV, Mikhail Alekseyevich, redaktor; BOGACHEV, F.V.,
redaktor; OSTRIKOV, N.S., tekhnicheskiy redaktor

[Physics] Fizika. Izd. 2-o, ispr. i dop. Moskva, Vses. uchebno-
pedagog. izd-vo Trudrezervizdat, 1955. 435 p. (MLRA 8:10)
(Physics)

USHAKOV, M.A. (g. Moskva)

"Elements of agricultural technology in teaching physics."

K.R. Krylov, Reviewed by M.A. Ushakov. Fiz.v shkole 15 no.3:
82-85 Vy-Je '55. (MLRA 8:6)

(Agricultural physics--Textbooks) (Krylov, K.R.)

USHAKOV, M.A. (Moskva)

Organization of practical courses in electricity. Fiz. v shkole
16 no.2:69-75 Mr-Apr '56. (MLRA 9:6)

1.273-ya srednyaya shkola.
(Electricity--Experiments)

USHAKOV, M.A.
~~USHAKOV, M.A.~~

A useful manual ("Organizing and conducting practical work in electric engineering for the tenth grade in the secondary school" by N.M.Borisov. Reviewed by M.A. Ushakov.) Politekh.obuch. no.12:85-87 D '57. (MIRA 10:12)
(Electric engineering--Study and teaching)
(Borisov, N.M.)

PHASE I BOOK EXPLOITATION 1118

Ushakov, Mikhail Alekseyevich

Rukovodstvo k praktikumi po elektrotekhnike; posobiye dlya uchitelya (Electrical Laboratory Manual; Textbook for the Teacher) Moscow, Uchpedgiz, 1958. 165 p. 35,000 copies printed.

Ed.: Gobanov, A.A.; Tech. Eds.: Dzhatiyev, S.G. and Ponomareva, A.A.

PURPOSE: This book is intended for high school teachers as an aid in organizing and equipping an electrical laboratory.

COVERAGE: The book contains general instructions for organizing a high school electrical laboratory and for setting up the work program. The author describes the basic equipment required and outlines the experiments to be performed. No personalities are mentioned. There are no references.

Card 1/6

Electrical Laboratory Manual (Cont.) 1118

TABLE OF CONTENTS:

Introduction	3
Ch. I. Organization of the Electrical Laboratory	5
1. Space	5
2. Work benches	6
3. Power supply	9
4. Installation of instruments and machines	14
5. Starting devices for electric machines	16
6. Simple devices for applying load on a motor	17
7. Measuring the speed of electric machines	21
8. Organizing and conducting laboratory work	24
9. Safety rules for laboratory work	28
Ch. II. Electrical Measurements and Measuring Instruments	31
10. Measurements	31

Card 2/6

Electrical Laboratory Manual (Cont.) 1118

11. Permanent-magnet moving-coil instruments	34
12. Moving-iron instruments	36
13. Electrodynamic instruments	38
14. Induction instruments	40
15. Measurement of current	42
16. Measurement of voltage	43
17. Measurement of resistance	43
18. Measurement of power	48

Laboratory exercises:

1. Familiarization with the construction of moving-iron, permanent-magnet moving-coil, and electrodynamic instruments	52
2. Familiarization with the construction of a wattmeter. Measurement of power	52
3. Measurement of resistance by the "one voltmeter" method	55
	57

Card 3/6

Electrical Laboratory Manual (Cont.) 1118

4. Measurement of resistance with an ohmmeter	58
5. Setting and calibrating an ohmmeter	59
6. Exercise in wiring	60
7. Connecting and checking an electric meter	61
Ch. III. Electric Machines and Transformers	63
19. Basic information on magnetic materials	63
20. The magnetic circuit	66
21. D-c machines	68
22. Operating principle of a d-c generator	69
23. Shunt generator	74
24. Operating principle of d-c motor	75
25. Shunt motor	77
26. Series motor	79
27. Alternating current	81
28. Transformers	89
29. Three-phase current	91
Laboratory exercises:	98
8. D-c shunt generator	98

Card 4/6

Electrical Laboratory Manual (Cont.)	1118
9. Testing a shunt generator	100
10. D-c shunt motor	102
11. Testing a series motor	105
12. Single-phase transformer	107
13. Three-phase circuits	109
14. Three-phase induction motor	111
15. Load test of an induction motor	113
Ch. IV. Electric Power in Industry	116
30. Electric drive	116
31. Contactor control of electric motors	119
32. Magnetic starters	120
33. Electronic devices	121
34. Electric welding	130
35. Applications of high frequency currents	135
Laboratory exercises:	136
16. Obtaining the characteristics of a triode	136

Card 5/6

Electrical Laboratory Manual (Cont.) 1118

17. Selenium rectifier with a transformer circuit	138
18. Bridge-connected selenium rectifier	139
19. Determining the amplification factor of a stage with a resistive load	141
20. Constructing an a-c photorelay circuit	142
21. Constructing a d-c photorelay circuit	143
22. Constructing a d-c electronic relay circuit	144
23. Constructing an a-c electronic relay circuit	146
24. Magnetic starter	147
36. Production, transmission and distribution of electric power	149

Appendix	154
----------	-----

AVAILABLE: Library of Congress (TK147.U8)

JP/ksv
1-23-59

Card 6/6

USHAKOV, M.A.; ANDRONNIKOV, V.V.

Unsuccessful book ("Practical works on electric engineering in school" by K.A. Muromtsev. Reviewed by M.A. Ushakov, V.V. Andronnikov). Politekh. obuch. no.5:75-76 My '58. (MIRA 11:5)
(Electric engineering--Study and teaching)
(Muromtsev, K.A.)

USHAKOV, Mikhail Aleksayevich; ALEKSEYEVA, N.V., red.; SHVARTSBERGM,
L.D., tekhn.red.

[Methodology of teaching electric engineering in secondary
schools; teachers' manual] Metodika prepodavaniia elektro-
tekhniki v srednei shkole; posobie dlia uchitelia. Moskva,
Gos.uchebno-pedagog.izd-vo M-va prosv.RSFSR, 1960. 266 p.
(MIRA 14:1)

(Electric engineering--Study and teaching)

BLUDOV, Mikhail Ivanovich; MINCHENKOV, Yevgeniy Yakovlevich; PERYSHKIN, Aleksandr Vasil'yevich; USHAKOV, Mikhail Alekseyevich: Prinimal uchastiye. KRAUKLIS, V.V., ROGACHEV, P.V., red.; FOMIN, A.M., tekhn. red.

[Teaching physics; methods manual for teachers of secondary technical schools] Prepodavanie fiziki; metodicheskoe posobie dlia prepodavatelei srednikh spetsial'nykh uchebnykh zavedenii. Pod red. A.V. Peryshkina. Moskva, Vses. uchebno-pedagog. izd-vo Proftekhizdat, 1960. 317 p. (MIRA 13:5)

1. Chlen-korrespondent Akademii pedagogicheskikh nauk RSFSR (for Peryshkin).

(Physics--Study and teaching)

USHAKOV, M.A.

Noise calculation in television channels. Tekh.kino i telev. 4
no.10:57-60 0'60. (MIRA 13:10)

1. Moskovskiy energeticheskiy institut.
(Television--Interference)

USHAKOV, M.A. (Moskva)

Studying magnetic materials and magnetic circuits in electrical
engineering. Fiz. v shkole 20 no.5:58-62 8-0 '60. (MIRA 13:11)
(Electric engineering—Study and teaching)
(Electromagnetism)

38218

S/187/62/000/006/003/003
D053/D112

9.4140

AUTHOR: Ushakov, M.A.

TITLE: Compensation of parasitic signals in tubes working in fast-electron conditions

PERIODICAL: Tekhnika kino i televideniya, no. 6, 1962, 31-39

TEXT: A new method of compensating parasitic signals in TV camera tubes with a high-velocity electron scanning beam, such as iconoscopes and image iconoscopes, is described. The parasitic signal in these types of tubes is generated due to the impossibility of creating a sufficiently negative potential on the scanned target surface. This causes a weakening, or even a total elimination, of the collecting field in the target-collector space and the creation of a non-uniform space charge near the target surface. The proposed method consists in the use of additional scanning of the target by the electron scanning beam during the horizontal flyback period, thus strengthen-

4

Card 1/2

Compensation of parasitic signals ...

S/187/62/000/006/003/003
D053/D112

ing the collecting field. The method was tested in the Moskovskiy televizionnyy tsentr (Moscow Television Station) in TV channels using the ЛИ-1 (LI-1) iconoscope and ЛИ -3 (LI-3) and ЛИ -102 (LI-102) image iconoscopes. The obtained results indicated that: (1) The uniformity of the lower equilibrium potential of the target is sufficient for securing a high-quality image of both static and dynamic objects. (2) Efficiency of the camera tube is increased. (3) The required changes in the blanking pulse units of existing image iconoscope camera tubes can be readily made by the technical servicing personnel. (4) An introduction of the described parasitic signal compensation method makes it possible to improve the quality of the transmitted image and to eliminate the labor-consuming manual compensation process. V.K. Sinadino assisted in the experimental portion of this work. There are 6 figures.

ASSOCIATION: Moskovskiy energeticheskiy institut (Moscow Power Engineering Institute).

Card 2/2

ANVEL'T, M.Yu. (Moskva); PUKHLYAKOV, Yu.Kh. (Moskva); USHAKOV, M.A. (Moskva)

New textbook on electrical engineering for students. Fiz. v
shkole 23 no.4:49-52 J1-Ag '63. (MIRA 17:1)

FILATOV, I.G. (Moskva); KRYLOV, D.G.; USHAKOV, M.A.; BRAVERMAN, E.M. (Moskva)

Criticism and bibliography. Fiz. v shkole 23 no.4:95-101
Jl-Ag '63. (MIRA 17:1)

1. Moskovskiy gosudarstvennyy pedagogicheskiy institut imeni
V.I. Lenina (for Ushakov).

2

SA

Salt-like properties of iodine. M. I. USHAKOV. *J. Gen. Chem. (U.S.S.R.)* 1, 1258-65 (1931).—The elec. cond., electrolysis and chem. properties of I indicate its saline nature in some solvents. All brown solns. of I in org. solvents are conductors. The violet solns. in C_6H_6 are conductors, while those in PhMe and CCl_4 are not. Walden (*Z. physik. Chem.* 43, 425 (1903)) attributed the cond. of I solns. to electrolytic dissociation. Feigl, *et al.* (*C. i.* 22, 3816; 24, 351) showed that brown solns. of I in org. solvents undergo complete double decompn. with Ag saccharinate, forming AgI and $\text{C}_6\text{H}_5\text{SO}_3\text{NICO}$, but violet solns. do not. The brown solns. probably dissociate, thus: $\text{I}_2(\text{soln}) \rightleftharpoons \text{I}^+(\text{soln}) + \text{I}^-(\text{soln})$. This conclusion is incomplete, because solns. of I in EtOH and MeOH contain both univalent and trivalent cations of I. AgNO_3 deposits (40-42-73%) of I from its solns. in alc. as AgI, while AgClO_4 , Ag_2CO_3 and Ag_2PO_4 ppt. about 50% of I, this is explained by the greater soly. of AgNO_3 in alc. Thus I is dissolved in alc. in 2 ways: (1) $\text{I}_2 \rightleftharpoons \text{I}^+ + \text{I}^-$ and (2) $2\text{I}_2 \rightleftharpoons \text{I}^{3+} + 3\text{I}^-$, the univalent and trivalent cations of I being held by the equl.: (3) $3\text{I}^+ \rightleftharpoons \text{I}^{3+} + \text{I}_2$. Because of this equl. AgNO_3 deposits less than 75 and 50% of I required by the equations (1) and (2), the I union being pptd. together with the formation of nitrates of univalent and trivalent pos. I: $\text{I}_2 + 2\text{AgNO}_3 \rightarrow \text{INO}_3 + \text{AgI} \cdot \text{AgNO}_3$ and $2\text{I}_2 + 6\text{AgNO}_3 \rightarrow \text{I}(\text{NO}_3)_2 + 3\text{AgI} \cdot \text{AgNO}_3$. The trivalent I was detd. with $\text{C}_6\text{H}_5\text{N}$ and HCl as pyridinium tetrachloroiodide: $\text{I}(\text{NO}_3)_2 + 3\text{HCl} \rightarrow \text{ICl}_4 + 3\text{HNO}_3$ and $\text{ICl}_4 + \text{C}_6\text{H}_5\text{N} + \text{HCl} \rightarrow \text{C}_6\text{H}_5\text{N} \cdot \text{ICl}_4$, yellow crystals. The formation of INO_3 was proved by the action of $\text{C}_6\text{H}_5\text{N}$ in HCl producing $\text{C}_6\text{H}_5\text{N} \cdot \text{INO}_3$, prepd. by Pietet and Kraft from ICl (*Bull. soc. chim.* [3], 7, 74 (1922)), and by the same as $\text{C}_6\text{H}_5\text{N} \cdot \text{INO}_3$ and $\text{C}_6\text{H}_5\text{N} \cdot \text{INO}_3$.

CHAR. H. ANO

10

Phenol from chlorobenzene. M. I. UGAROV AND N. D. ZELINSKI. *J. Applied Chem. (U. S. S. R.)* 3, 304-4(1932).— Cu_2O and CuO are better catalysts than Cu for hydrolyzing PhCl . In the presence of Cu_2O and a melt contg. 60 g. Cu per 2.5 g. Cu_2O (prepd. by blowing with air in gaseous oven) the reaction proceeds at 280-280°. while at 320° a 95-8% yield is obtained after 25 min. heating. Addn. of 30% Ph to PhCl gives the same yield with 3.25 mole NaOH as the one obtained with 3 mole NaOH in absence of Ph .

V. KALICHEVSKY

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

ca

10

The transformation of acetylene and acetaldehyde into acetone by the contact method. N. D. Zelinskii, M. I. Ushakov, V. M. Mikhailov and Yu. A. Arhuzov. *J. Chem. Ind. (Moscow)* 1933, No. 7, 635. An Fe-Mn catalyst is best. Natural Fe ores are unsuitable. AcH and H₂O give 96%, Me₂CO; C₂H₄ and H₂O give 98%. If the gases from the latter reaction are again passed over the catalyst the yield is increased to 98%. Optimum conditions are 440°, a ratio of C₂H₄ to H₂O of 1:10, and a rate of passage of the gas over the catalyst of 20.9 cc. per min.
H. M. Leicester

ASH-11A METALLURGICAL LITERATURE CLASSIFICATION

130M 170 0117A

130M 034170

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01

010000 01


010000 01

010000 01

0

The preparation of butyl alcohol from the by-products formed in the synthesis of butadiene by the method of S. V. Lebedev. M. I. Ushakov and S. S. Livshitz. *Sintet. Kachestv* 1934, No. 2, 7-9.—The "butyl fraction" obtained during the synthesis of butadiene (yellow liquid) was hydrogenated in a steel autoclave with a stirrer at 115-20° and 90-100° and 20-3 atm. pressure. The catalyst used (30-1% by wt. of fraction) contained 16-17% Ni. Time, 30 min.-5 hrs. Unsats. alcs. that are present in the fraction are completely hydrogenated at min. pressure of 5 atm. during 5 hrs. and a min. of 3% catalyst. The hydrogenated fraction obtained (115-17°) has d₄²⁰ 0.8160, n_D²⁰ 1.3968.

A. Pestov



CK

Properties of iodine nitrate. M. I. Ushakov, *J. Gen. Chem.* (U. S. S. R.) 4, 1016 (1957); *Chem. Abstr.* 52:1016. Previously it was shown that I in EtOH or MeOH with AgNO_3 gives $\text{I}(\text{NO}_2)_2$ and some INO_2 , and that $\text{I}(\text{NO}_2)_2$ with I is completely converted to INO_2 , which with the INO_2 salts of pyridine and quinoline gives, resp., $\text{C}_5\text{H}_5\text{N} \cdot \text{INO}_2$ and $\text{C}_8\text{H}_7\text{N} \cdot \text{INO}_2$. Attempts to obtain the 2 complex compds. with the free bases have failed. This is explained by a strong alcoholysis of INO_2 in EtOH or MeOH: $\text{INO}_2 + \text{MeOH} \rightleftharpoons \text{IOMe} + \text{HNO}_2$. The alcoholysis can be demonstrated by the interaction of INO_2 soln. with an unsatd. compd. By analogy with other compds. of a univalent pos. I (ICl , IOH , INO and IOMe must be fixed by the double bond: $-\text{CH}=\text{CH}- + \text{INO}_2 \rightarrow -\text{CHICHONO}_2$ and $-\text{CH}=\text{CH}- + \text{IOMe} \rightarrow -\text{CHICHOMe}$. Actually I in MeOH produced with $(\text{CH}_3)_2\text{C}=\text{CH}_2$ 50% $\text{CH}_3\text{CHICHOMe}$, b. 136.0° (d. 137.9° Karmanen, *Rev.* 42, 900), n_D 1.5118, and with cyclohexene 25% $\text{CH}_2(\text{CH}_2)\text{CHICHOMeCH}_2$, b. 105.7° . The ability of INO_2 in soln. to give the complexes with org. bases shows that the alcoholysis is reversible. INO_2 and the products of its alcoholysis as the derivs. of the univalent pos. I are capable of iodizing. Thus by the interaction of INO_2 soln. with $p\text{-CH}_3\text{NC}_6\text{H}_4\text{NH}_2$ and PhOH were obtained, resp., 4,2- $\text{H}_2\text{NC}_6\text{H}_3(\text{NO}_2)_2\text{I}$, m. 107.8° , and $p\text{-IC}_6\text{H}_4\text{OH}$. Chas. Blanc

AS 55.4 METALLURGICAL LITERATURE CLASSIFICATION

1ST AND 2ND COLUMNS																										3RD AND 4TH COLUMNS																									
PROCESSES AND PROPERTIES INDEX																										PROCESSES AND PROPERTIES INDEX																									
<p>10</p> <p>Conversion of acetylene and acetaldehyde into acetone by means of catalysis. N. D. Zelinskii, M. I. Ushakov, H. M. Mikhailov and Yu. A. Arbusov. <i>J. Appl. Chem.</i> (U. S. S. R.) 7, 101 (1954). See C. A. 28, 1018. A. A. Nuchting</p>																																																			
ASAC S.A. METALLURGICAL LITERATURE CLASSIFICATION																																																			
SIGN: 000100																																																			
SIGN: 000100																																																			